A HOME CONSTRUCTED ON THIS LOT WILL REQUIRE THE USE OF AN INDIVIDUAL LOW-PRESSURE SEWER (LPS) GRINDER PUMP SYSTEM.


THIS LOT REQUIRES THE CONSTRUCTION AND ACCEPTANCE OF THE ZONE 1 TANK AND BOOSTER PUMP STATION PROJECT PRIOR TO ISSUANCE OF CERTIFICATE OF OCCUPANCY.

A MINIMUM OF 36 INCHES GROUND COVER SHALL BE MAINTAINED OVER THE TOP OF THE SCHNEIDER DITCH PIPE SHOWN ON THIS PLAN.

THIS EXHIBIT IS NOT INTENDED FOR USE AS A SURVEY DOCUMENT. REFER TO RECORDED FINAL MAP AND CLEAR CREEK TAHOE PROPERTY REPORT FOR ALL ENCUMBRANCES, EASEMENTS, AND RESTRICTIONS FOR DEVELOPMENT OF THIS LOT.

A HOME CONSTRUCTED ON THIS SITE WILL REQUIRE THE INSTALLATION OF AN ON-SITE INDIVIDUAL PRESSURE REDUCING VALVE LOCATED DOWNSTREAM OF THE WATER SERVICE CONNECTION.





PLOTTED BY WOLF, ARIAHNA
DWG NAME K:\REN_CIVIL\068151204
LAST SAVED 4/28/2022 12:46 PM

Clear Creek at Tahoe Douglas County, Nevada

0 60' 120'
GRAPHIC SCALE 60'

Kimley» Horn
7900 Rancharrah Parkway
Suite 100
Reno, Nevada 89511
775-200-1960

TAHOE